REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden. to Washington Headquarters Services, Directorate for Information Operations and Report, 1215 Jefferson collection of information, including suggestions for reducing Profite of Management and Budget, Paperwork Reduction Project (0704–0188), Washington, DC 20503.

collection of information, including suggestions for re Davis Highway, Suite 1204, Arlington, VA 22202-4302	and to the Office of Management and Bu	idget, Paperwork Reduction Pro	ject (0704-0188), Washington, DC 20503.		
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 3. REPORT TYPE AN		D DVIEZ COAFKED		
	4/14/99	Final 7	<u>/1/93 - 11/1/98</u>		
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS		
The Relationship Betwe	en Copper Speciatio	on and	(=)		
Cyanobacterial Distrib	(G)rant				
Environments	N00014-93-1-0833				
6. AUTHOR(S)					
James W. Moffett					
			8. PERFORMING ORGANIZATION		
7. PERFORMING ORGANIZATION NAME	REPORT NUMBER				
Woods Hole Oceanographic Institution					
Woods Hole, MA 02543					
	THE ADDRESS (ES)		10. SPONSORING / MONITORING		
9. SPONSORING/MONITORING AGENCY	AGENCY REPORT NUMBER				
Office of Naval Resea					
800 North Quincy St.	Code 3	22MM			
Ballston Tower One					
Arlington, VA 22217-	5660	•	·		
11. SUPPLEMENTARY NOTES					
11. SOFFEEINGERFANT TO TE					
·					
12a. DISTRIBUTION / AVAILABILITY STAT	EMENT		12b. DISTRIBUTION CODE		
	•				
Approved for public r	elease - unlimited	distribution			
rippieved ion possess					
13. ABSTRACT (Maximum 200 words)					
The long term goal is to	determine the ecol	ogical importan	ice of specific toxic		

The long term goal is to determine the ecological importance of specific toxic metals (copper and zinc) in harbors, through an understanding of their chemistry and biological effects at the base of marine food chains. This work provides information on potential problems with Zn and Cu, which may help to foresee problems in the future. Anthropogenic inputs of both metals are increasing; they are derived from diverse sources and are a simple function of population growth in coastal regions.

19990419 067

14. SUBJECT TERMS	15. NUMBER OF PAGES		
copper, zinc, copper	16. PRICE CODE		
			20. LIMITATION OF ABSTRACT
17. SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
OF REPORT	OF THIS PAGE	OF ABSTRACT	UL
1			

FINAL REPORT

The Relationship Between Copper Speciation and Cyanobacterial Distribution in Harbors and other Coastal Environments

James W. Moffett
Department of Marine Chemistry and Geochemistry
Woods Hole Oceanographic Institution
Woods Hole MA 02543

phone: (508) 289-3218 fax: (508) 457-2164 email: jmoffett@whoi.edu Award #: N00014-93-1-0833 http://www.whoi.edu

LONG-TERM GOAL

My long term goal is to determine the ecological importance of specific toxic metals (copper and zinc) in harbors, through an understanding of their chemistry and biological effects at the base of marine food chains. The major focus is on obtaining quantitative answers to research questions in this area, to establish what concentrations of these elements are acceptable when they are derived from anthropogenic sources.

OBJECTIVES

Specific objectives were to (1) determine the relationship between the chemistry of copper and zinc, and their toxicity to organisms; (2) determine the variability of Cu and Zn chemistries in harbors, in particular their complexation by disslved organic matter; (3) combine the results in (1) and (2) to predict effects in the field, and compare them with actual data. In 1998, a specific objective was also to evaluate an in situ sampling device which holds considerable promise for monitoring and ecological assessment. Another key objective was to develop an isolation strategy for powerful Cu chelators made by marine cyanobacteria.

APPROACH

I collaborated with Larry Brand (University of Miami), who studied the toxic effects of copper and zinc on phytoplankton isolated from our primary study site, San Diego Bay. I measured the speciation of copper and zinc in the harbor, using electrochemical techniques alongside our in situ probes. I also supervised a postdoc who developed a chromatographic procedure to isolate and purify cyanobacterial Cu chelators

WORK COMPLETED

We have completed the toxicity studies, and speciation measurements are nearly complete on all San Diego Bay samples. The evaluation of the in situ probes is complete; the postdoc who performed that work is currently preparing a manuscript. Probes were also evaluated in Norfolk Harbor and Cape Cod MA, to determine their perrformance over a wide range of conditions.

Isolates of cyanobacterial Cu chelators have been purified, and, at the time of writing they are being analyzed in Nelson Frew's laboratory by electrospray mass spectrometry using an instrument purchased with DURIP funds. The stability of these chelators, particularly with respect to photodegadation, was also stusied, and a manuscript on this topic has been submitted.

RESULTS

Results show that both Cu and Zn are important in influencing phytoplankton in San Diego. In particular, the influence of Zn toxicity to diatoms may have been underestimated in previous work. Brand and I plan to combine our chemical and biological data into a paper soon. The probes show excellent agreement with electrochemical methods for estimating the inorganic (bioavailable) fraction of copper in contaminated waters, like San Diego Harbor. They tend to overestimate inorganic Cu in pristine waters. We plan to solve this problem by using a low molecular weight cutoff filter to separate the probes from the seawater in future work. However, this problem appears to be negligible in contaminated waters of interest to the navy. We have not had time to analyze mass spectral data to get structural information on the cyanobacterial chelators.

IMPACT/APPLICATION

Our work provides the navy with a "heads up" on potential problems with Zn and Cu, which may help it to foresee problems in the future. Anthropogenic inputs of both metals are increasing; they are derived from diverse sources and are a simple function of population growth in coastal regions. Our work also provides some potential solutions; the probes may be useful as a monitoring tool to replace costly bioassays in meeting regulatory requirements and structural information about cyanobacterial chelators may reveal information about a new class of chelators useful in bioremediation.

TRANSITIONS

We have discussed specific applications of our in situ sampling devices with personnel; at Naval Base Norfolk. Specifically, we want to see if the probes could yield the same information as toxicity testing with blue mussel larvae. The latter are a good indicator of Cu toxicity, but are difficult to grow. I have also discussed this concept with officials at EPA, and feel that there is considerable receptiveness there to this type of solution.

PUBLICATIONS

- Moffett, J.W. and L.E. Brand (1996). The production of strong, extracellular Cu chelators by marine cyanobacteria in response to Cu stress. *Limnol. Oceanogr.*, **41**(3), 288-293.
- Moffett, J.W., L.E. Brand, P.L. Croot and K. Barbeau (1996). Copper speciation and cyanobacterial distribution in harbors subject to anthropogenic Cu inputs. *Limnol. Oceanogr.* 42(5), 789-799.

Ahner, B.A., F.M.M. Morel and J.W. Moffett (1997). Trace metal control of phytochelatin production in coastal waters. *Limnol. Oceanogr.* 42(3), 601-608.

In Press:

Croot P.L., J.W. Moffett, and G. Luther Half wave potentials for copper complexes in seawater. *Mar. Chem.*

In Review:

- Croot, P.L, J.W. Moffett and L.E. Brand. Production of Cu chelators by eucaryotic phytoplankton. *Limnol. Oceanogr.*
- Croot P.L., J.W. Moffett, and G. Luther (1998). Half wave potentials for copper complexes in seawater. *Mar. Chem.*

In Prep:

- Bruland, K.W., J.R. Donat and J.W. Moffett (1998). An intercomparison of voltammetric methods to determine Cu speciation in coastal waters. in prep.
- Hu, X., J.W. Moffett (1998). The influence of copper on the production and decomposition of copper-complexing ligands by the marine cyanobacterium *Synechococcus. Mar. Chem.*

Enclosure (2)